DNV Equipment List



7. GLASS BOTTLE RACKS

Features:

Area: A small footprint area is required and stackable to minimize deck area usage on location

Load Security: Tie down 'D' rings and ratchet using a belt

Size: Different gas bottle dimensions are accepted



Specifications:

Equipment	External Dimensions (Lx Wx H)	Internal Dimensions (Lx Wx H)	Tare	Payload	M.G.W	Internal Cubic Capacity
Gas Bottle Carrier	1.4 x 1.2 x 2.2 m	1.2 x 1.0 x 1.9 m	820 kgs	2,500 kgs	3,320 kgs	2.33 m³
– Type 1	4'7" x 4' x 7'2" ft	4' x 3'3" x 6'2" ft	1,807 lbs	5,511 lbs	7,319 lbs	82 cu.ft
Gas Bottle Carrier	1.38 x 1.33 x 2.35 m	1.2 x 1.1 x 2.0 m	820 kgs	2,000 kgs	2,820 kgs	2.33 m³
– Type 2	4'6" x 4'4" x 7'8" ft	4' x 3'9" x 6'8" ft	1,807 lbs	4,409 lbs	6,217 lbs	82 cu.ft

Key Features:

Equipment	Specification	Key Features
Gas Bottle Carriers	DNV 2.7-1 & BS EN 12079	 Design, Manufacture & Certification DNV 2.7-1 Gas Bottle Carriers BS EN 12079:2006 - Gas Bottle Carriers: Design, construction, testing, inspection & marking Classification society: Lloyds Register Certification: Third-party lifting certification provided for carriers, sling set, and all lifting equipment Other Features Area: Small footprint is required and stackable to minimize deck area usage on location Load security: 'D' rings and ratchet set used Size: Different gas bottle dimensions accepted